## Applicant Initiated Interview Request Form -- faxed to: 571. 273. 6494 (3 pp.)

In re the Application of

Hiroyuki MOCHIZUKI et al.

Group Art Unit:

1794

Application No.: 10/572,643

Examiner:

B. CROUSE

Filed: March 20, 2006

Docket No.:

127380

For:

ORGANIC ELECTROLUMINESCENT ELEMENT AND MANUFACTURING METHOD THEREOF

Te: (1)	ntative Participants: Sarah Lhymn	<u> </u>	(2) Brett Alan Crous	e		
(3)	_ <del>_</del>		(4)		_	-
Cor	nfirmed Date of Interview:	10/7/2009	Proposed Time:		(A)	- <b>M</b> )
Тур (1)	ee of Interview Requested: ☐ Telephonic (	2) 🔀 Personal	(3) 🗌 Video Confe	erence		
Ext If y	ubit To Be Shown or Demor es, provide brief description	nstrated;	ÆS	⊠ NO		
		Issu	es To Be Discussed			<del></del> _
(R	Issues ej., Obj., etc)	Claims/ Fig. #s	Prior Art	Discussed	Agreed	Not Agree
(I)	Rejection Under 102(e)	1-4	Yu			
2)	Rejection Under 102(b)	1, 2	Tang (claims 1,2)			
,		1-4 	Seo and Matsuo (claims 1-4)			
3)	Rejection Under 103(a)	I- <b>4</b>	Samuel in view of Matsuo			
₫ c	ontinuation Sheet Attached					
riei	Description of Arguments	to be Presented:				
Di	scuss proposed amendments	to claims 1-4				
n in	terview was conducted on t	the above-identifi	ied application on			
TO			, ,		_	<del>_</del>
'his	form should be completed by a	applicant and subn	nitted to the examiner in adv	Vance of the interv	iew (ena MDI	FD 6 717 043
his	application will not be delayed efore, applicant is advised to fi	l from issue becaus	e of applicantle failure to a	L		
_	h Lhymn _					

## Proposed Claim Amendments:

- 1. (Currently Amended) An organic electroluminescent element containing an unsubstituted  $\pi$  conjugated organic polymer compound, comprising a functional layer which is formed by causing gas molecules of at least one type of compound selected from the group consisting of dyes and charge transport materials to contact and penetrate the heated unsubstituted  $\pi$  conjugated organic polymer compound by heating beforehand, wherein the organic electroluminescent element has a luminance of at least about 2000 cd and an external quantum efficiency of abot 1.0 lm/w or less.
- 2. (Currently Amended) An organic electroluminescent element containing an unsubstituted π conjugated organic polymer compound, comprising a light-emitting layer which is formed by causing gas molecules of at least one type of compound selected from the group consisting of dyes and charge transport materials to contact and penetrate the heated unsubstituted π conjugated organic polymer compound by heating beforehand,
  wherein the organic electroluminescent element has a luminance of at least about 2000 cd
- 3. (Currently Amended) An organic electroluminescent element containing an unsubstituted  $\pi$  conjugated organic polymer compound, comprising a charge transport layer which is formed by causing gas molecules of at least one type of compound selected from the group consisting of dyes and charge transport materials to contact and penetrate the <u>heated</u> unsubstituted  $\pi$  conjugated organic polymer compound <u>by heating beforehand</u>,

and an external quantum efficiency of abot 1.0 lm/w or less.

wherein the organic electroluminescent element has a luminance of at least about 2000 cd and an external quantum efficiency of abot 1.0 lm/w or less.

**2**003

- 4. (Currently Amended) An organic electroluminescent element containing an unsubstituted π conjugated organic polymer compound, comprising a light-emitting layer and a charge transport layer which are formed by causing gas molecules of at least one type of compound selected from the group consisting of dyes and charge transport materials to contact and penetrate the heated unsubstituted π conjugated organic polymer compound by heating beforehand.
- wherein the organic electroluminescent element has a luminance of at least about 2000 cd and an external quantum efficiency of abot 1.0 lm/w or less.